



# Crop Protection

## Index to volume 11 (1992)

No 1 (February) pp. 1-96

No 2 (April) pp. 97-192

No 3 (June) pp. 193-288

No 4 (August) pp. 289-392

No 5 (October) pp. 393-488

No 6 (December) pp. 489-584

### Author index

- Addison, P. J. *see* Barker, G. M., 439  
Akem, C. N., Melouk, H. A. and Smith, O. D. *Field evaluation of peanut genotypes for resistance to Sclerotinia blight*, 345  
Al-Mughrabi, K. I., Nazer, I. K. and Al-Shuraiqi, Y. T. *Effect of pH of water from the King Abdallah Canal in Jordan on the stability of cypermethrin*, 341  
Al-Shuraiqi, Y. T. *see* Al-Mughrabi, K. I., 341  
Anderson, D. L. *see* Raid, R. N., 84  
Aquino, G. B. *see* Heong, K. L., 371  
Araya, J. E. *see* Ibarra, L. F., 186  
Arretz, P. *see* Ibarra, L. F., 186  
Atiri, G. I. *Progress of pepper vein mottle virus disease in Capsicum peppers*, 255  
Backman, P. A. *see* Herbert, D. A., Jr, 27  
Bar-Joseph, M. *see* Franck, A., 525  
Barker, G. M. and Addison, P. J. *Pest status of slugs (Stylommatophora: Mollusca) in two New Zealand pastures*, 439  
Barrion, A. T. *see* Heong, K. L., 371  
Barrow, M. R. *Development of maize hybrids resistant to maize streak virus*, 267  
Berti, A. *see* Zanin, G., 174  
Biles, C. L., Lindsey, D. L. and Liddell, C. M. *Control of Phytophthora root rot of chile peppers by irrigation practices and fungicides*, 225  
Blaier, B. *see* Cohen, R., 181  
Blazquez, B. *see* Johanson, A., 79  
Brenneman, T. B. *see* Culbreath, A. K., 361  
Brophy, T. F. and Laing, M. D. *Screening of fungicides for the control of downy mildew on container-grown cabbage seedlings*, 160  
Brown, J. K. M. and Evans, N. *Selection on responses of barley powdery mildew to morpholine and piperidine fungicides*, 449  
Brun, L. O. *see* Parkin, C. S., 213  
Bukovac, M. J. *see* Knoche, M., 57  
Bullock, J. I., Coward, N. P., Dawson, G. W., Henderson, I. F., Larkworthy, L. F., Martin, A. P. and McGrath, S. P. *Contact uptake of metal compounds and their molluscicidal effect on the field slug, Deroceras reticulatum (Müller) (Pulmonata: Limacidae)*, 329  
Buntin, G. D. *Assessment of a microtube injection system for applying systemic insecticides at planting for hessian fly control in winter wheat*, 366  
Campbell, J. E. *see* Jiang, X. Q., 248  
Campos, L. A. C. *see* Mehta, Y. R., 517  
Carmi, A. *see* Heuer, B., 572  
Cishabayo, D. *see* Trutmann, P., 458  
Cohen, R., Blaier, B. and Katan, J. *Chloroacetamide herbicides reduce incidence of Fusarium wilt in melons*, 181  
Cole, M. J. *see* Gaunt, R. E., 131  
Cole, M. J. *see* Gaunt, R. E., 138  
Coulson, J. R. *Documentation of classical biological control introductions*, 195  
Coulson, R. N. *Intelligent geographic information systems and integrated pest management*, 507  
Coward, N. P. *see* Bullock, J. I., 329  
Cox, E. L. *see* East, D. A., 39  
Culbreath, A. K., Brenneman, T. B. and Kvien, C. K. *Use of a resistant peanut cultivar with copper fungicides and reduced fungicide applications for control of late leaf spot*, 361  
Dawson, G. W. *see* Bullock, J. I., 329  
DeFoliart, G. R. *Insects as human food*, 395  
Dennill, G. B. and Erasmus, M. J. *Basis for a practical technique for monitoring thrips in avocado orchards*, 89  
Devonshire, A. L. *see* Dewar, A. M., 21  
Dewar, A. M., Read, L. A., Thornhill, W. A., Smith, S. D. J. and Devonshire, A. L. *Effect of established and novel aphicides on resistant Myzus persicae (Sulz.) on sugar beet under field cages*, 21  
Dorr, G. J. and Pannell, D. J. *Economics of improved spatial distribution of herbicide for weed control in crops*, 385  
Drinkwater, T. W. *Laboratory evaluation of insecticide baits for control of the dusty surface beetle, Gonocephalum simplex F. (Coleoptera: Tenebrionidae)*, 380  
East, D. A., Edelson, J. V., Cox, E. L. and Harris, M. K. *Evaluation of screening methods and search for resistance in muskmelon Cucumis melo L., to the twospotted spider mite, Tetranychus urticae Koch*, 39  
Edelson, J. V. *see* East, D. A., 39  
El-Hassan, S. M. *see* Omer, A. D., 477  
Eplee, R. E. *Witchweed (Striga asiatica): an overview of management strategies in the USA*, 3  
Erasmus, M. J. *see* Dennill, G. B., 89  
Erkiliç, L. *see* Yigit, A., 433  
Evans, N. *see* Brown, J. K. M., 449  
Feare, C. J. *see* Inglis, I. R., 64  
Forbes, C. *see* Washington, W. S., 355  
Franck, A. and Bar-Joseph, M. *Use of netting and whitewash spray to protect papaya plants against Nivun Haamir (NH)-dieback disease*, 525  
Gaunt, R. E. and Cole M. J. *Spatial analysis of wheat stripe rust epidemics*, 131  
Gaunt, R. E. and Cole, M. J. *Sequential sampling for wheat stripe rust management*, 138  
Giannini, M. *see* Zanin, G., 174  
Ginella, S. G. V. *see* McKillop, I. G., 279  
Gitaitis, R. D. *see* Sumner, D. R., 121  
Glen, D. M., Wiltshire, C. W. and Langdon, C. J. *Influence of seed depth and molluscicide pellet placement and timing on slug damage, activity and survival in winter wheat*, 555  
Godfrey, L. D. and Holtzer, T. O. *Effects of soil-incorporated insecticides and foliar-applied chemicals on corn gas-exchange parameters*, 427  
Gold, H. J. *see* Wiles, L. J., 547  
Gray, M. E. *see* Oloumi-Sadeghi, 323  
Harms, C. T. *Engineering genetic disease resistance into crops: biotechnological approaches to crop protection*, 291  
Harrington, R. *see* Knight, J. D., 419  
Harris, M. K. *see* East, D. A., 39  
Henderson, I. F. *see* Bullock, J. I., 329  
Hendrickx, G. *see* Moens, M., 69  
Henson, D. J. *see* Smilanick, J. L., 535  
Heong, K. L., Aquino, G. B. and Barrion, A. T. *Population dynamics of plant- and leafhoppers and their natural enemies in rice ecosystems in the Philippines*, 371



# Crop Protection

## Index to volume 11 (1992)

No 1 (February) pp. 1-96

No 2 (April) pp. 97-192

No 3 (June) pp. 193-288

No 4 (August) pp. 289-392

No 5 (October) pp. 393-488

No 6 (December) pp. 489-584

### Author index

- Addison, P. J. *see* Barker, G. M., 439  
Akem, C. N., Melouk, H. A. and Smith, O. D. *Field evaluation of peanut genotypes for resistance to Sclerotinia blight*, 345  
Al-Mughrabi, K. I., Nazer, I. K. and Al-Shuraiqi, Y. T. *Effect of pH of water from the King Abdallah Canal in Jordan on the stability of cypermethrin*, 341  
Al-Shuraiqi, Y. T. *see* Al-Mughrabi, K. I., 341  
Anderson, D. L. *see* Raid, R. N., 84  
Aquino, G. B. *see* Heong, K. L., 371  
Araya, J. E. *see* Ibarra, L. F., 186  
Arretz, P. *see* Ibarra, L. F., 186  
Atiri, G. I. *Progress of pepper vein mottle virus disease in Capsicum peppers*, 255  
Backman, P. A. *see* Herbert, D. A., Jr, 27  
Bar-Joseph, M. *see* Franck, A., 525  
Barker, G. M. and Addison, P. J. *Pest status of slugs (Stylommatophora: Mollusca) in two New Zealand pastures*, 439  
Barrion, A. T. *see* Heong, K. L., 371  
Barrow, M. R. *Development of maize hybrids resistant to maize streak virus*, 267  
Berti, A. *see* Zanin, G., 174  
Biles, C. L., Lindsey, D. L. and Liddell, C. M. *Control of Phytophthora root rot of chile peppers by irrigation practices and fungicides*, 225  
Blaier, B. *see* Cohen, R., 181  
Blazquez, B. *see* Johanson, A., 79  
Brenneman, T. B. *see* Culbreath, A. K., 361  
Brophy, T. F. and Laing, M. D. *Screening of fungicides for the control of downy mildew on container-grown cabbage seedlings*, 160  
Brown, J. K. M. and Evans, N. *Selection on responses of barley powdery mildew to morpholine and piperidine fungicides*, 449  
Brun, L. O. *see* Parkin, C. S., 213  
Bukovac, M. J. *see* Knoche, M., 57  
Bullock, J. I., Coward, N. P., Dawson, G. W., Henderson, I. F., Larkworthy, L. F., Martin, A. P. and McGrath, S. P. *Contact uptake of metal compounds and their molluscicidal effect on the field slug, Deroceras reticulatum (Müller) (Pulmonata: Limacidae)*, 329  
Buntin, G. D. *Assessment of a microtube injection system for applying systemic insecticides at planting for hessian fly control in winter wheat*, 366  
Campbell, J. E. *see* Jiang, X. Q., 248  
Campos, L. A. C. *see* Mehta, Y. R., 517  
Carmi, A. *see* Heuer, B., 572  
Cishabayo, D. *see* Trutmann, P., 458  
Cohen, R., Blaier, B. and Katan, J. *Chloroacetamide herbicides reduce incidence of Fusarium wilt in melons*, 181  
Cole, M. J. *see* Gaunt, R. E., 131  
Cole, M. J. *see* Gaunt, R. E., 138  
Coulson, J. R. *Documentation of classical biological control introductions*, 195  
Coulson, R. N. *Intelligent geographic information systems and integrated pest management*, 507  
Coward, N. P. *see* Bullock, J. I., 329  
Cox, E. L. *see* East, D. A., 39  
Culbreath, A. K., Brenneman, T. B. and Kvien, C. K. *Use of a resistant peanut cultivar with copper fungicides and reduced fungicide applications for control of late leaf spot*, 361  
Dawson, G. W. *see* Bullock, J. I., 329  
DeFoliart, G. R. *Insects as human food*, 395  
Dennill, G. B. and Erasmus, M. J. *Basis for a practical technique for monitoring thrips in avocado orchards*, 89  
Devonshire, A. L. *see* Dewar, A. M., 21  
Dewar, A. M., Read, L. A., Thornhill, W. A., Smith, S. D. J. and Devonshire, A. L. *Effect of established and novel aphicides on resistant Myzus persicae (Sulz.) on sugar beet under field cages*, 21  
Dorr, G. J. and Pannell, D. J. *Economics of improved spatial distribution of herbicide for weed control in crops*, 385  
Drinkwater, T. W. *Laboratory evaluation of insecticide baits for control of the dusty surface beetle, Gonocephalum simplex F. (Coleoptera: Tenebrionidae)*, 380  
East, D. A., Edelson, J. V., Cox, E. L. and Harris, M. K. *Evaluation of screening methods and search for resistance in muskmelon Cucumis melo L., to the twospotted spider mite, Tetranychus urticae Koch*, 39  
Edelson, J. V. *see* East, D. A., 39  
El-Hassan, S. M. *see* Omer, A. D., 477  
Eplee, R. E. *Witchweed (Striga asiatica): an overview of management strategies in the USA*, 3  
Erasmus, M. J. *see* Dennill, G. B., 89  
Erkiliç, L. *see* Yigit, A., 433  
Evans, N. *see* Brown, J. K. M., 449  
Feare, C. J. *see* Inglis, I. R., 64  
Forbes, C. *see* Washington, W. S., 355  
Franck, A. and Bar-Joseph, M. *Use of netting and whitewash spray to protect papaya plants against Nivun Haamir (NH)-dieback disease*, 525  
Gaunt, R. E. and Cole M. J. *Spatial analysis of wheat stripe rust epidemics*, 131  
Gaunt, R. E. and Cole, M. J. *Sequential sampling for wheat stripe rust management*, 138  
Giannini, M. *see* Zanin, G., 174  
Ginella, S. G. V. *see* McKillop, I. G., 279  
Gitaitis, R. D. *see* Sumner, D. R., 121  
Glen, D. M., Wiltshire, C. W. and Langdon, C. J. *Influence of seed depth and molluscicide pellet placement and timing on slug damage, activity and survival in winter wheat*, 555  
Godfrey, L. D. and Holtzer, T. O. *Effects of soil-incorporated insecticides and foliar-applied chemicals on corn gas-exchange parameters*, 427  
Gold, H. J. *see* Wiles, L. J., 547  
Gray, M. E. *see* Oloumi-Sadeghi, 323  
Harms, C. T. *Engineering genetic disease resistance into crops: biotechnological approaches to crop protection*, 291  
Harrington, R. *see* Knight, J. D., 419  
Harris, M. K. *see* East, D. A., 39  
Henderson, I. F. *see* Bullock, J. I., 329  
Hendrickx, G. *see* Moens, M., 69  
Henson, D. J. *see* Smilanick, J. L., 535  
Heong, K. L., Aquino, G. B. and Barrion, A. T. *Population dynamics of plant- and leafhoppers and their natural enemies in rice ecosystems in the Philippines*, 371

- Herbert, D. A., Jr. Mack, T. P., Backman, P. A. and Rodriguez-Kabana, R. *Validation of a model for estimating leaf-feeding by insects in soybean*, 27
- Heuer, B. and Carmi, A. *Nitrogen-enhanced phytotoxicity to cucumber of low concentrations of EPTC and metolachlor*, 572
- Hewitt, A. J. *Droplet size spectra produced by the X15 stacked spinning-disc atomizer of the Ulvamast Mark II sprayer*, 221
- Holderness, M. *Comparison of metalaxyl/cuprous oxide sprays and potassium phosphonate as sprays and trunk injections for control of Phytophthora palmivora pod rot and canker of cocoa*, 141
- Holtzer, T. O. see Godfrey, L. D., 427
- Horowitz, A. R., Klein, M., Yablonski, S. and Ishaaya, I. *Evaluation of benzoylphenyl ureas for controlling the spiny bollworm, Earia insulana (Boisd.), in cotton*, 465
- Hsiao, A. I. see Liu, S. H., 335
- Ibarra, L. F., Araya, J. E. and Arretz, P. *Laboratory and field studies in Chile on the control of Epinotia aporema (Lepidoptera: Olethreutidae) and Rachiplusia nu (Lepidoptera: Noctuidae) on Phaseolus vulgaris beans with growth regulators, Bacillus thuringiensis, and avermectin*, 186
- Imeokparia, P. O., Lagoke, S. T. O. and Olunuga, B. A. *Evaluation of post-emergence herbicides for broad-spectrum weed control in three cultivars of flooded rice in Nigeria*, 165
- Inglis, I. R. see Quy, R. J., 14
- Inglis, I. R., Wadsworth, J. T., Meyer, A. N. and Feare, C. J. *Vertebrate damage to 00 and 0 varieties of oilseed rape in relation to SMCO and glucosinolate concentrations in the leaves*, 64
- Ishaaya, I. see Horowitz, A. R., 465
- Jayaraj, S. see Rabindra, R. J., 320
- Jiang, X. Q., Meinke, L. J., Wright, R. J., Wilkinson, D. R. and Campbell, J. E. *Maize chlorotic mottle virus in Hawaiian-grown maize: vector relations, host range and associated viruses*, 248
- Johanson, A. and Blazquez, B. *Fungi associated with banana crown rot on field-packed fruit from the Windward Islands and assessment of their sensitivity to the fungicides thiabendazole, prochloraz and imazalil*, 79
- Jørgensen, L. N. see Permin, O., 541
- Joshi, R. C. see Umeh, E. D. N., 408
- Katan, J. see Cohen, R., 181
- Kataria, H. R. and Verma, P. R. *Rhizoctonia solani damping-off and root rot in oilseed rape and canola*, 8
- Keinath, A. P. see Lewis, J. A., 260
- Khan, F. A. *Multiplication rates of Pratylenchus brachyurus in some vegetable crops in northern Nigeria*, 127
- King, E. G. see Summy, K. R., 307
- King, E. G. and Powell, J. E. *Propagation and release of natural enemies for control of cotton insect and mite pests in the United States*, 497
- Klein, M. see Horowitz, A. R., 465
- Knight, J. D., Tatchell, G. M., Norton, G. A. and Harrington, R. *FLY-PAST: an information management system for the Rothamsted Aphid Database to aid pest control research and advice*, 419
- Knoche, M., Noga, G. and Lenz, F. *Surfactant-induced phytotoxicity: evidence for interaction with epicuticular wax fine structure*, 51
- Knoche, M., Lownds, N. K. and Bukovac, M. J. *Factors affecting the absorption of gibberellin A<sub>3</sub> by sour cherry leaves*, 57
- Kohli, M. M. see Mehta, Y. R., 517
- Kvien, C. K. see Culbreath, A. K., 361
- Lagoke, S. T. O. see Imeokparia, P. O., 165
- Laing, M. D. see Brophy, T. F., 160
- Lana, A. F. *Crop protection services in Southern Africa*, 492
- Langdon, C. J. see Glen, D. M., 555
- Larkworthy, L. F. see Bullock, J. I., 329
- Lenz, F. see Knoche, M., 51
- le Patourel, G. *Residues and efficacy of etrimfos and pirimiphos-methyl in wheat and malting barley stored in ventilated bins*, 470
- Levine, E. see Oloumi-Sadeghi, H., 323
- Lewis, G. C. *Foliar fungal diseases of perennial ryegrass at 16 sites in England and Wales*, 35
- Lewis, J. A. see Sumner, D. R., 121
- Lewis, J. A., Lumsden, R. D., Millner, P. D. and Keinath, A. P. *Suppression of damping-off of peas and cotton in the field with composted sewage sludge*, 260
- Liddell, C. M. see Biles, C. L., 225
- Lindsey, D. L. see Biles, C. L., 225
- Lisker, N. and Meiri, A. *Control of Rhizoctonia solani damping-off in cotton by seed treatment with fungicides*, 155
- Liu, S. H., Hsiao, A. I. and Quick, W. A. *Effects of sodium bisulphate, acidic buffers and ammonium sulphate on imazamethabenz phytotoxicity to wild oats*, 335
- Loughman, R. and Thomas, G. J. *Fungicide and cultivar control of Septoria diseases of wheat*, 349
- Lownds, N. K. see Knoche, M., 57
- Lumsden, R. D. see Lewis, J. A., 260
- McFadyen, R. C. *Biological control against parthenium weed in Australia*, 400
- McGrath, S. P. see Bullock, J. I., 329
- Mack, T. P. see Herbert, D. A., Jr., 27
- McKillop, I. G., Phillips, K. V. and Ginella, S. G. V. *Effectiveness of two types of electric fences for excluding European wild rabbits*, 279
- Mann, B. P. and Wratten, S. D. A. *computer-based advisory system for control of the summer pests of winter oilseed rape in Britain*, 561
- Martin, A. P. see Bullock, J. I., 329
- Mehta, Y. R., Riede, C. R., Campos, L. A. C. and Kohli, M. M. *Integrated management of major wheat diseases in Brazil: an example for the Southern Cone region of Latin America*, 517
- Meinke, L. J. see Jiang, X. Q., 248
- Meiri, A. see Lisker, N., 155
- Melouk, H. A. see Akem, C. N., 345
- Meyer, A. N. see Inglis, I. R., 64
- Millner, P. D. see Lewis, J. A., 260
- Moens, M. and Hendrickx, G. *Drain-water filtration for the control of nematodes in hydroponic-type systems*, 69
- Nazer, I. K. see Al-Mughrabi, K. I., 341
- Noga, G. see Knoche, M., 51
- Nordbo, E. *Effects of nozzle size, travel speed and air assistance on deposition on artificial vertical and horizontal targets in laboratory experiments*, 272
- Norton, G. A. see Knight, J. D., 419
- Oloumi-Sadeghi, H., Levine, E., Steffey, K. L. and Gray, M. E. *Black cutworm damage and recovery of corn plants: influence of pyrethroid and organophosphate soil insecticide treatments*, 323
- Olunuga, B. A. see Imeokparia, P. O., 165
- Omer, A. D. and El-Hassan, S. M. *Incidence of potato viruses and their effect on potato production in the Sudan*, 477
- Pacumbaba, R. P. *Soybean cyst nematode race 5 in northern Alabama*, 92
- Pannell, D. J. see Dorr, G. J., 385
- Parkin, C. S., Brun, L. O. and Suckling, D. M. *Spray deposition in relation to endosulfan resistance in coffee berry borer (Hypothenemus hampei) (Coleoptera: Scolytidae) in New Caledonia*, 213
- Patrick, Z. A. see Reddy, M. S., 148
- Paul, K. B. see Trutmann, P., 458
- Paxton, T. G. see Scott, D. B., 243
- Permin, O., Jørgensen, L. N. and Persson, K. *Deposition characteristics and biological effectiveness of fungicides applied to winter wheat and the hazards of drift when using different types of hydraulic nozzles*, 541
- Persson, K. see Permin, O., 541
- Phillips, K. V. see McKillop, I. G., 279
- Powell, J. E. see King, E. G., 497
- Quick, W. A. see Liu, S. H., 335
- Quy, R. J., Shepherd, D. S. and Inglis, I. R. *Bait avoidance and effectiveness of anticoagulant rodenticides against warfarin- and difenacoum-resistant populations of Norway rats (Rattus norvegicus)*, 14
- Rabindra, R. J., Sathiah, N. and Jayaraj, S. *Efficacy of nuclear polyhedrosis virus against Helicoverpa armigera (Hbn.) on Helicoverpa-resistant and susceptible varieties of chickpea*, 320

- Raid, R. N., Anderson, D. L. and Ulloa, M. F. *Influence of cultivar and amendment of soil with calcium silicate slag on foliar disease development and yield of sugar-cane*, 84
- Read, L. A. *see* Dewar, A. M., 21
- Reddy, M. S. and Patrick, Z. A. *Colonization of tobacco seedling roots by fluorescent pseudomonad suppressive to black root rot caused by Thielaviopsis basicola*, 148
- Riede, C. R. *see* Mehta, Y. R., 517
- Rodriguez-Kabana, R. *see* Herbert, D. A., Jr, 27
- Sachan, G. C. *see* Singh, K. N., 414
- Sathiah, N. *see* Rabindra, R. J., 320
- Savary, S. and Zadoks, J. C. *Analysis of crop loss in the multiple pathosystem groundnut-rust-late leaf spot. I. Six experiments*, 99
- Savary, S. and Zadoks, J. C. *Analysis of crop loss in the multiple pathosystem groundnut-rust-late leaf spot. II. Study of the interactions between diseases and crop intensification in factorial experiments*, 110
- Savary, S. and Zadoks, J. C. *Analysis of crop loss in the multiple pathosystem groundnut-rust-late leaf spot. III. Correspondence analyses*, 229
- Scott, D. B. *Assessment of resistance in barley to Pyrenophora teres and Pyrenophora japonica*, 240
- Scott, D. B., van Niekerk, H. A. and Paxton, T. G. *Effect of propiconazole on necrotrophic fungi and yield of barley genotypes differing in susceptibility to Rhynchosporium secalis*, 243
- Shanmuganathan, N. *see* Washington, W. S., 355
- Shepherd, D. S. *see* Quy, R. J., 14
- Shtienberg, D. and Zohar, D. *Fungicidal disease suppression and yield losses associated with sunflower rust in Israel*, 529
- Singh, K. N. and Sachan, G. C. *Assessment of yield loss due to insect pests at different growth stages of groundnut in Pantnagar, Uttar Pradesh, India*, 414
- Smilanick, J. L. and Henson, D. J. *Minimum gaseous sulphur dioxide concentrations and exposure periods to control Botrytis cinerea*, 535
- Smith, O. D. *see* Akem, C. N., 345
- Smith, S. D. J. *see* Dewar, A. M., 21
- Steffey, K. L. *see* Oloumi-Sadeghi, H., 323
- Stonehouse, J. M. *Distribution of foliar bean pests in fields in south-western Colombia*, 74
- Suckling, D. M. *see* Parkin, C. S., 213
- Summers, R. W. *see* Vickery, J. A., 480
- Summy, K. R. and King, E. G. *Cultural control of cotton insect pests in the United States*, 307
- Sumner, D. R., Lewis, J. A. and Gitaitis, R. D. *Chemical and biological control of Rhizoctonia solani AG-4 in snap bean double-cropped with corn*, 121
- Symmons, P. *Strategies to combat the desert locust*, 206
- Tatchell, G. M. *see* Knight, J. D., 419
- Thomas, G. J. *see* Loughman, R., 349
- Thornhill, W. A. *see* Dewar, A. M., 21
- Trutmann, P., Paul, K. B. and Cishabayo, D. *Seed treatments increase yield of farmer varietal field bean mixtures in the central African highlands through multiple disease and beanfly control*, 458
- Ukwungwu, M. N. *see* Umeh, E. D. N., 408
- Ulloa, M. F. *see* Raid, R. N., 84
- Umeh, E. D. N., Joshi, R. C. and Ukwungwu, M. N. *Biology, status and management of rice insect pests in Nigeria*, 408
- van Niekerk, H. A. *see* Scott, D. B., 243
- Verma, P. R. *see* Kataria, H. R., 8
- Verma, P. R. *see* Yang, J., 443
- Vickery, J. A. and Summers, R. W. *Cost-effectiveness of scaring brent geese Branta b. bernicla from fields of arable crops by a human bird scarer*, 480
- Vilich-Meller, V. *Pseudocercospora herpotrichoides, Fusarium spp. and Rhizoctonia cerealis stem rot in pure stands and interspecific mixtures of cereals*, 45
- Wadsworth, J. T. *see* Inglis, I. R., 64
- Washington, W. S., Shanmuganathan, N. and Forbes, C. *Fungicide control of strawberry fruit rots, and the field occurrence of resistance of Botrytis cinerea to iprodione, benomyl and dichlofuanid*, 355
- Wiles, L. J., Wilkerson, G. G. and Gold, H. J. *Value of information about weed distribution for improving postemergence control decisions*, 547
- Wilkerson, G. G. *see* Wiles, L. J., 547
- Wilkinson, D. R. *see* Jiang, X. Q., 248
- Wiltshire, C. W. *see* Glen, D. M., 555
- Wratten, S. D. *see* Mann, B. P., 561
- Wright, R. J. *see* Jiang, X. Q., 248
- Yablonski, S. *see* Horowitz, A. R., 465
- Yang, J. and Verma, P. R. *Screening genotypes for resistance to pre-emergence damping-off and postemergence seedling root rot of oilseed rape and canola caused by Rhizoctonia solani AG-2-1*, 443
- Yigit, A. and Erkilic, L. *Studies on the chemical control of Tetranychus cinnabarinus Boisd. (Acarina: Tetranychidae), a pest of strawberry in the East Mediterranean region of Turkey*, 433
- Zadoks, J. C. *see* Savary, S., 99
- Zadoks, J. C. *see* Savary, S., 110
- Zadoks, J. C. *see* Savary, S., 229
- Zanin, G., Berti, A. and Giannini, M. *Economics of herbicide use on arable crops in north-central Italy*, 174
- Zohar, D. *see* Shtienberg, D., 529

## Keyword index

### Acaricides

Strawberry, *Tetranychus cinnabarinus* 433

### Acetochlor

Melon, *Fusarium wilt* 181

### Aerial spraying

Locust, desert, Insecticidal control 206

### Agrotis ipsilon

Zea mays, Soil insecticides 323

### Aphids

Information management system, Database 419

### Application methods

Atomizer, Droplet size 221

Field spraying, Deposition 272

Wheat, Hessian fly 366

Fungicides, Deposit 541

### Application schedules

Stripe rust, wheat, Sampling, sequential 138

### Arable crops

Economics, Herbicides 174

Human bird scarer, *Branta b. bernicla* 480

### Arachis hypogaea

*Cercosporidium personatum*, *Puccinia arachidis* 99

*Cercosporidium personatum*, *Puccinia arachidis* 110

Correspondence analysis, Crop loss 229

*Cercosporidium personatum*, Fungicidal control 361

Yield loss, Insect pest management 414

### Atomizer

Application methods, Droplet size 221

### Australia

*Parthenium hysterophorus*, Biological control 400

### Avena fatua

Imazamethabenz, Phytotoxicity 335

### Avocados

Thrips, Pest monitoring 89

### Banana

Crown rot, Fungicidal control 79

### Barley

Resistance, *Pyrenophora* spp. 240

*Rhynchosporium secalis*, Propiconazole 243

### Benzoylphenyl ureas

*Earias insulana*, Cotton 465

### Biocontrol agents

*Rhizoctonia solani*, Fungicides 121

### Biological control

Introduced organisms, Documentation 195

*Parthenium hysterophorus*, Australia 400

Cotton, Natural enemies 497



- Botrytis cinerea**  
*Vitis vinifera*, Sulphur dioxide 535
- Branta b. bernicla**  
 Human bird scarer, Arable crops 480
- Brassica oleracea**  
 Surfactants, Phytotoxicity 51
- Brassica spp.**  
*Rhizoctonia solani*, Resistance screening 443
- Breeding**  
 Genetic engineering, Disease resistance 291
- Cabbage**  
*Peronospora parasitica*, Fungicides 160
- Capsicum annuum**  
*Phytophthora capsici*, Disease control 225
- Capsicum spp.**  
 Pepper vein mottle virus, Disease vectors 255
- Carica papaya**  
 Papaya diseases, Disease prevention 525
- Cercosporidium personatum**  
*Arachis hypogaea*, *Puccinia arachidis* 99  
*Arachis hypogaea*, *Puccinia arachidis* 110  
*Arachis hypogaea*, Fungicidal control 361
- Cereals**  
 Fungal stem rot, Mixed cropping 45
- Chemical constituents**  
 Oilseed rape, Vertebrate damage 64
- Chickpea**  
*Helicoverpa armigera*, Nuclear polyhedrosis virus 320
- Chitin synthesis inhibitors**  
*Phaseolus vulgaris*, Insect pest control, 186
- Chrysomelids**  
*Phaseolus vulgaris*, Fungal diseases 74
- Coffee**  
*Hypothenemus hampei*, Pesticide application 213
- Computer model**  
 Spray distribution, Economics 385
- Correspondence analysis**  
*Arachis hypogaea*, Crop loss 229
- Cotton**  
 Pest management, Cultural control 307  
*Earias insulana*, Benzoylphenyl ureas 465  
 Biological control, Natural enemies 497
- Cotton damping-off**  
 Pea damping-off, Suppressive soils 260
- Cotton seedlings**  
 Seed treatments, Disease control 155
- Crop damage**  
 Potato viruses, Sudan 477
- Crop loss**  
 Correspondence analysis, *Arachis hypogaea* 229
- Crown rot**  
 Banana, Fungicidal control 79
- Cultural control**  
 Pest management, Cotton 307
- Cypermethrin**  
 Water pH, Pesticide degradation 341
- Damping-off**  
 Rapeseed, *Rhizoctonia solani* 8
- Database**  
 Information management system,
- Aphids 419
- Deposit**  
 Fungicides, Application methods 541
- Deposition**  
 Field spraying, Application methods 272
- Deroceras reticulatum**  
 Metal chelates, Molluscicides 329  
 Seed depth, Molluscicide 555
- Disease control**  
*Theobroma cacao*, *Phytophthora palmivora* 141  
 Cotton seedlings, Seed treatments 155  
*Capsicum annuum*, *Phytophthora capsici* 225  
*Septoria*, Wheat, spring 349
- Disease prevention**  
 Papaya diseases, *Carica papaya* 525
- Disease resistance**  
 Genetic engineering, Breeding 291
- Disease vectors**  
 Maize chlorotic mottle virus, *Zea mays* 248  
 Pepper vein mottle virus, *Capsicum* spp. 255
- Documentation**  
 Biological control, introduced organisms 195
- Drainwater**  
 Hydroponic-type system, Nematodes 69
- Droplet size**  
 Atomizer, Application methods 221
- EPTC**  
 Metolachlor, Phytotoxicity 572
- Earias insulana**  
 Benzoylphenyl ureas, Cotton 465
- Economics**  
 Herbicides, Arable crops 174  
 Spray distribution, Computer model 385
- Electric fences**  
*Oryctolagus cuniculus*, Rabbit management 279
- Erysiphe graminis f.sp. hordei**  
 Fungicide resistance, Natural selection 449
- Etrimfos**  
 Pirimiphos-methyl, Residues 470
- Field spraying**  
 Deposition, Application methods 272
- Fluorescent pseudomonad**  
*Thielaviopsis basicola*, Tobacco 148
- Foliar absorption**  
 Gibberellin A<sub>3</sub>, *Prunus cerasus* 57
- Foliar fungal diseases**  
*Lolium perenne*, Perennial ryegrass 35
- Frequency models**  
 Spatial analysis, Stripe rust, wheat 131
- Fungal diseases**  
*Phaseolus vulgaris*, Chrysomelids 74
- Fungal stem rot**  
 Mixed cropping, Cereals 45
- Fungicidal control**  
 Crown rot, Banana 79  
 Strawberry, Resistance, field 355  
*Cercosporidium personatum*, *Arachis hypogaea* 361
- Fungicide resistance**  
 Natural selection, *Erysiphe graminis* f.sp. *hordei* 449
- Fungicides**  
*Rhizoctonia solani*, Biocontrol agents 121  
*Peronospora parasitica* Cabbage 160  
 Deposit, Application methods 541
- Fusarium wilt**  
 Acetochlor, Melon 181
- Gas exchange**  
 Pesticides, *Zea mays* 427
- Genetic engineering**  
 Disease resistance, Breeding 291
- Geographic information systems**  
 Integrated pest management, Knowledge system environment 507
- Gibberellin A<sub>3</sub>**  
 Foliar absorption, *Prunus cerasus* 57
- Glycine max**  
 Leaf-feeding insects, Model 27  
 Soybean cyst nematode, Race determination 92
- Gonocephalum simplex**  
 Insecticide baits, Insect control 380
- Helianthus annuus**  
*Puccinia helianthi*, Sunflower rust 529
- Helicoverpa armigera**  
 Chickpea, Nuclear polyhedrosis virus 320
- Herbicides**  
*Striga asiatica*, Parasitic weeds 3  
 Intensive cropping, Rice 165  
 Economics, Arable crops 174
- Hessian fly**  
 Wheat, Application methods 366
- Host plant resistance**  
 Muskmelon, *Tetranychus urticae* 39  
*Zea mays*, Maize streak virus 267
- Human bird scarer**  
 Arable crops, *Branta b. bernicla* 480
- Hydroponic-type system**  
 Nematodes, Drainwater 69
- Hypothenemus hampei**  
 Coffee, Pesticide application 213
- Imazamethabenz**  
 Phytotoxicity, *Avena fatua* 335
- Information management system**  
 Database, Aphids 419
- Insect control**  
*Gonocephalum simplex*, Insecticide baits 380
- Insect pest control**  
 Chitin synthesis inhibitors, *Phaseolus vulgaris* 186
- Insect pest management**  
 Rice, Nigeria 408  
 Yield loss, *Arachis hypogaea* 414
- Insecticidal control**  
 Locust, desert, Aerial spraying 206
- Insecticide baits**  
*Gonocephalum simplex*, Insect control 380
- Insecticide resistance**  
*Myzus persicae*, Sugar beet 21
- Integrated management**  
 Wheat diseases, Latin America 517
- Integrated pest management**  
 Geographic information systems, Knowledge system environment, 507
- Intensive cropping**

- Rice, Herbicides 165
- Introduced organisms**  
Biological control, Documentation 195
- Knowledge system environment**  
Integrated pest management, Geographical information systems 507
- Latin America**  
Integrated management, Wheat diseases 517
- Leaf-feeding insects**  
*Glycine max*, Model 27
- Leafhoppers**  
Planthoppers, Rice ecosystems 371
- Leptosphaeria sacchari***  
*Puccinia melanocephala*, *Saccharum* 84
- Locust, desert**  
Insecticidal control, Aerial spraying 206
- Lolium perenne***  
Perennial ryegrass, Foliar fungal diseases 35
- Maize chlorotic mottle virus**  
Disease vectors, *Zea mays* 248
- Maize streak virus**  
*Zea mays*, Host-plant resistance 267
- Melon**  
Acetochlor, Fusarium wilt 181
- Metal chelates**  
*Deroceras reticulatum*, Molluscicides 329
- Metolachlor**  
EPTC, Phytotoxicity 572
- Mixed cropping**  
Fungal stem rot, Cereals 45
- Model**  
*Glycine max*, Leaf-feeding insects 27  
Oilseed rape, Pest monitoring 561
- Molluscicides**  
*Deroceras reticulatum*, Metal chelates 329  
*Deroceras reticulatum*, Seed depth 555
- Multiplication**  
*Pratylenchus brachyurus*, Vegetable crops 127
- Muskmelon**  
Host plant resistance, *Tetranychus urticae* 39
- Myzus persicae***  
Sugar beet, Insecticide resistance 21
- Natural enemies**  
Cotton, Biological control 497
- Natural selection**  
Fungicide resistance, *Erysiphe graminis* f.sp. *hordei* 449
- Nematodes**  
Hydroponic-type system, Drainwater 69
- Nigeria**  
Rice, Insect pest management 408
- Nuclear polyhedrosis virus**  
*Helicoverpa armigera*, Chickpea 320
- Oilseed rape**  
Vertebrate damage, Chemical constituents 64  
Model, Pest monitoring 561
- Oryctolagus cuniculus***  
Electric fences, Rabbit management 279
- Papaya diseases**  
Disease prevention, *Carica papaya* 525
- Parasitic weeds**  
*Striga asiatica* Herbicides 3
- Parthenium hysterophorus***  
Biological control, Australia 400
- Pasture**  
Slugs, White clover 439
- Pea damping-off**  
Cotton damping-off, Suppressive soils 260
- Peanut genotypes**  
Resistance, field, Sclerotinia blight 345
- Pepper vein mottle virus**  
*Capsicum* spp., Disease vectors 255
- Perennial ryegrass**  
*Lolium perenne*, Foliar fungal diseases 35
- Peronospora parasitica***  
Fungicides, Cabbage 160
- Pest management**  
Cultural control, Cotton 307
- Pest monitoring**  
Thrips, Avocados 89  
Oilseed rape, Model 561
- Pesticide application**  
*Hypothenemus hampei*, Coffee 213
- Pesticide degradation**  
Cypermethrin, Water pH 341
- Pesticides**  
Gas exchange, *Zea mays* 427
- Phaseolus vulgaris***  
Chrysomelids, Fungal diseases 74  
Chitin synthesis inhibitors, Insect pest control 186  
Seed treatments, Subsistence farming, 458
- Phytophthora capsici***  
*Capsicum annuum*, Disease control 225
- Phytophthora palmivora***  
*Theobroma cacao*, Disease control 141
- Phytotoxicity**  
*Brassica oleracea*, Surfactants 51  
Imazamethabenz, *Avena fatua* 335  
Metolachlor, EPTC 572
- Pirimiphos-methyl**  
Etrifos, Residues 470
- Planthoppers**  
Leafhoppers, Rice ecosystems 371
- Potato viruses**  
Crop damage, Sudan 477
- Pratylenchus brachyurus***  
Multiplication, Vegetable crops 127
- Propiconazole**  
Barley, *Rhynchosporium secalis* 243
- Prunus cerasus***  
Gibberellin A<sub>3</sub>, Foliar absorption 57
- Puccinia arachidis***  
*Arachis hypogaea*, *Cercosporidium peronosatum* 99  
*Arachis hypogaea*, *Cercosporidium peronosatum* 110
- Puccinia helianthi***  
*Helianthus annuus*, Sunflower rust 529
- Puccinia melanocephala***  
*Leptosphaeria sacchari*, *Saccharum* 84
- Pyrenophora* spp.**  
Barley, Resistance 240
- Rabbit management**  
Electric fences, *Oryctolagus cuniculus* 279
- Race determination**  
*Glycine max*, Soybean cyst nematode 92
- Rapeseed**  
Damping-off, *Rhizoctonia solani* 8
- Rattus norvegicus***  
Rodent control, Rodenticides 14
- Residues**  
Etrifos, Pirimiphos-methyl 470
- Resistance**  
Barley, *Pyrenophora* spp. 240
- Resistance, field**  
Peanut genotypes, Sclerotinia blight 345  
Strawberry, Fungicidal control 355
- Resistance screening**  
*Brassica* spp., *Rhizoctonia solani* 443
- Rhizoctonia solani***  
Rapeseed, Damping-off 8  
Fungicides, Biocontrol agents 121  
*Brassica* spp., Resistance screening 443
- Rhynchosporium secalis***  
Barley, Propiconazole 243
- Rice**  
Intensive cropping, Herbicides 165  
Insect pest management, Nigeria 408
- Rice ecosystems**  
Planthoppers, LeafhopperS 371
- Rodent control**  
Rodenticides, *Rattus norvegicus* 14
- Rodenticides**  
Rodent control, *Rattus norvegicus* 14
- Saccharum***  
*Puccinia melanocephala*, *Leptosphaeria sacchari* 84
- Sampling, sequential**  
Stripe rust, wheat, Application schedules 138
- Sclerotinia blight**  
Peanut genotypes, Resistance, field 345
- Seed depth**  
*Deroceras reticulatum*, Molluscicide 555
- Seed treatments**  
Cotton seedlings, Disease control 155  
*Phaseolus vulgaris*, Subsistence farming 458
- Septoria**  
Wheat, spring, Disease control 349
- Slugs**  
White clover, Pasture 439
- Soil insecticides**  
*Zea mays*, *Agrotis ipsilon* 323
- Soybean cyst nematode**  
*Glycine max*, Race determination 92
- Spatial analysis**  
Stripe rust, wheat, Frequency models 131
- Spray distribution**  
Economics, Computer model 385
- Strawberry**  
Fungicidal control, Resistance, field 355  
Acaricides, *Tetranychus cinnabarinus*, 433
- Striga asiatica***  
Parasitic weeds, Herbicides 3
- Stripe rust, wheat**  
Spatial analysis, Frequency models 131  
Application schedules, Sampling, sequential 138
- Subsistence farming**  
Seed treatments, *Phaseolus vulgaris* 458
- Sudan**  
Potato viruses, Crop damage 477
- Sugar beet**  
*Myzus persicae*, Insecticide resistance 21

**Sulphur dioxide***Vitis vinifera*, *Botrytis cinerea* 535**Sunflower rust***Puccinia helianthi*, *Helianthus annuus* 529**Suppressive soils**

Cotton damping-off, Pea damping-off 260

**Surfactants***Brassica oleracea*, Phytotoxicity 51***Tetranychus cinnabarinus***

Strawberry, Acaricides 433

***Tetranychus urticae***

Muskmelon, Host plant resistance 39

***Theobroma cacao****Phytophthora palmivora*, Disease control 141***Thielaviopsis basicola***

Fluorescent pseudomonad, Tobacco 148

**Thrips**

Avocados, Pest monitoring 89

**Tobacco***Thielaviopsis basicola*, Fluorescent pseudomonad 148**Vegetable crops***Pratylenchus brachyurus*, Multiplication 127**Vertebrate damage**

Oilseed rape, Chemical constituents 64

***Vitis vinifera****Botrytis cinerea*, Sulphur dioxide 535**Water pH**

Cypermethrin, Pesticide degradation 341

**Weed control decisions**

Weed spatial distribution, Weed scouting 547

**Weed scouting**

Weed control decisions, weed spatial distribution 547

**Weed spatial distribution**

Weed control decisions, Weed scouting 547

**Wheat**

Hessian fly, Application methods 366

**Wheat diseases**

Integrated management, Latin America 517

**Wheat, spring***Septoria*, Disease control 349**White clover**

Slugs, Pasture 439

**Yield loss***Arachis hypogaea*, Insect pest management 414***Zea mays***

Maize chlorotic mottle virus, Disease vectors 248

Hostplant resistance, Maize streak virus 267

*Agrotis ipsilon*, Soil insecticides 323

Pesticides, Gas exchange 427

**Book reviews index**

Biological Control by Natural Enemies

*G. A. Matthews* 95

Crop Protection Chemicals Reference,

7th edition

*G. le Patourel* 95

Edible Fruits and Nuts. Plant Resources

of South-East Asia (PROSEA) No. 2

*B. J. Wood* 485

Herbicide Resistance in Weeds and Crops

*C. Price* 577

Insect Pest Management

*G. A. Matthews* 286

Integrated Pest Management and African

Agriculture

*G. A. Matthews* 286

Plant Mutation Breeding for Crop

Improvement, Volumes I and II

*G. A. Matthews* 191

Tropical Grassy Weeds

*C. Price* 577